

# \$\$CURR – Valid Window Record Position

The \$\$CURR system variable is for use within the R-START routine in a scrolled window, and is used to indicate if the cursor is currently on a valid record in

## 1. Possible Values of \$\$CURR

\$\$CURR	R-START Record Indication
0	There cursor is not currently on a valid record.
1	The cursor is on a valid record.

## 2. Examples

```

FRAME EX1

ACCESS DL: RC
ACCESS DL: RY
*
WINDOW W1 USING RC
REPEAT
SEQUENCE EXIT, EXIT
ENQ
NOLOCK
BASE AT 4 2
SCROLL 10 BY 1 SPLIT 1 OFFSET 1
02 02 "R-Start Problem" A12
03 02 "Customer" NSC
03 11 "Customer_Name" NSC

04 02 RCCUCD X(7) CNV
04 11 RCNAME X(30)

15 02 "Button 50" BTN U50
15 12 "Button 51" BTN U51
15 22 "Button 52" BTN U52
15 32 " Close" BTN U11
ROUTINES SECTION
*
R-START.
    DISABLE BUTTON 50
    DISABLE BUTTON 51
    DISABLE BUTTON 52
*
    IF $MODE <> 1 * Enquiry Mode
        IF $$CURR = 1
            ENABLE BUTTON 51
        END
    END
EXIT
R-FUNC.
*
    IF $FUNC = 51
        FETCH FIRST RYID-A KEY RCCUCD NOLOCK
        ON EXCEPTION
            ****
            **** If here the RC channel does not contain a valid record
            ****
            ERROR " This Error should NEVER be displayed"

```

\$\$CURR – Valid Window Record

```

        ELSE
            DISPLAY WINDOW W2
        END
    ELSE
        CLEAR WINDOW W2
    END
    EXIT
*
ENDWINDOW
*
WINDOW W2
EDT
BASE AT 20 20
02 02 "Retrieved record"          A12
03 02 RCCUCD                      DIS
04 02 RCNAME                       DIS
ENDWINDOW
LOAD DIVISION
    CALL ASSIG$ USING "DLD" "215"
    CALL B$OPN USING "DL  " "DLD" 0
    EXIT
*
ENDFRAME
ENDSOURCE
:
*
ENDFRAME
ENDSOURCE
*
FRAME EX2
*
ACCESS DL: RC
ACCESS DL: RC SUBSTITUTING "QC"
ACCESS DL: RY
*
DATA DIVISION
*
01      WK
COPY W$ SUBSTITUTING "WK"
77      Z-CUCD          PIC X(7)
                        VALUE "GILE001"
WINDOW DIVISION
WINDOW W1 USING RC DEPENDENT ON (Z-CUCD)
REPEAT
    DISABLE BUTTON 50
    DISABLE BUTTON 51
    DISABLE BUTTON 52
*
    IF $MODE <> 1
        IF $SCURR = 1
            ENABLE BUTTON 51
        END
    EXIT
R-FUNC.
*
    IF $FUNC = 51
        * We have a current record in channel
        FETCH FIRST RYID-A KEY RCCUCD NOLOCK
        ON EXCEPTION
            *****
            ***** If here the RC channel does not contain a valid record
            *****
            ERROR "1. This Error should NEVER be displayed"
        END
        MOVE RCCUCD TO QCCUCD
        MOVE RCNAME TO QCNAME
        DISPLAY WINDOW W2
    END
EXIT
*
ENDWINDOW
WINDOW W2

```

## \$SCURR – Valid Window Record

```
EDT
BASE AT 20 20
02 02 "Retrieved record"          A12
03 02 QCCUCD                      DIS
04 02 QCNAME                       DIS
ENDWINDOW
*
LOAD DIVISION
      CALL ASSIG$ USING "DLD" "215"
      CALL B$OPN USING "DL  " "DLD" 0
      EXIT
*
PROCEDURE DIVISION
      ENTER WINDOW W1
      IGNORE EXCEPTION
EXIT

ENDFRAME
ENDSOURCE
```

### 3. See Also

\$PCURR Valid Window Record in R-START