

B\$D-RN – Do Not Use

The B\$D-RN routine is one of a family of sub-routines that are reserved for use by the G-3000 Middleware DLMs. B\$D-RN(XT) does not perform a useful function.

1. Invocation

The calling convention is:

```
CALL B$D-RN USING channel
```

where *channel* is a Speedbase Record Channel.

2. STOP Codes and Exception Conditions

The following STOP codes are generated by B\$D-RN:

STOP code	Description
1	Always returned for GSM SP-40, and later.

The following EXIT codes may be returned by B\$D-RN:

EXIT code	\$\$COND	Description
1	1	A read operation returned an error (GSM SP-39, and earlier).

3. Programming Notes

B\$D-RN(XT) has been derived from a G-3000 Middleware DLM. Consequently, some of the functionality (e.g. the EXIT codes) may be non-standard.

B\$D-RN(XT) has never performed a useful function but would appear to complete normally which could cause confusion,. For GSM SP-40 the routine always returns a STOP WITH 1 to ensure it can never be used inadvertently.

4. Examples

[EXAMPLE REQUIRED]

5. Copy-Books

None.

6. See Also

B\$D-2R	Direct File Access Simple Read Next Routine (B\$D-2RNXT)
B\$D-2W	Direct File Access Simple Write Next Routine (B\$D-2WRITE)
B\$D-CH	Direct File Access Check and Close Routine (B\$D-CHK)
B\$D-CL	Direct File Access Close Routine (B\$D-CLOSE)
B\$D-DE	Direct File Access Delete Routine (B\$D-DELETE)
B\$D-IN	Direct File Access Return File Information Routine (B\$D-INFO)
B\$D-OL	Direct File Access Open Old Routine (B\$D-OLD)

B\$D-RN – Do Not Use

B\$D-OP	Direct File Access Open New Routine (B\$D-OPEN)
B\$D-PO	Direct File Access Set Current File Position Routine (B\$D-POSITION)
B\$D-UN	Direct File Access Set Unit Routine (B\$D-UNIT)
B\$D-WR	Direct File Access Write Speedbase Channel (B\$D-WRITE)
B\$E-CL	Direct File Access Extra Close Routine (B\$E-CLOSE)
B\$E-GE	Direct File Access Get Record Length Routine (B\$E-GET-RLEN)
B\$E-RN	Direct File Access Simple Read Block Routine (B\$E-RNXT)
B\$E-SE	Direct File Access Set Record Length Routine (B\$E-SET-RLEN)
B\$E-ZE	Direct File Access Set File Address to Zero Routine (B\$E-ZERO)
R\$B-SA	Direct File Access Save Address of Current Record (R\$B-SAVE)
R\$B-WR	Direct File Access Rewrite from Saved File Address (R\$B-WRITE)
R\$B2WR	Direct File Access Rewrite from Saved File Address (R\$B2WRITE)
R\$PFSC	Direct File Access Check For Free Space (R\$PFSCCHK)