GXFON$ - Display GX Font Selection Dialogue

The GXFON$ is available to display the standard GX Font Selection Dialogue.

1.   Invocation

To display the GX Font Selection Dialogue code:

    CALL GXFON$ USING *font*

where *font* is a control block into which the default Font Name is established; and the selected Font Name is returned:

```
01    FONT
   02  FTNAME      PIC X(64)                    * Font Name
   02  FTSIZE      PIC 9(2) COMP                * Font Point Size
   02  FTATTR      PIC 9(2) COMP                * Font Attribute (Weight)
```

2.   STOP Codes and Exception Conditions

The following STOP codes may be generated by GXFON$:

STOP code	Description
14331	GXFON$ is not running on GX.
14332	Unexpected error returned by GX (Error setting up Dialogue Box)
14333	Unexpected error returned by GX (Unexpected result code)
14334	Unexpected error returned by GX (Unexpected return code)

The following EXIT codes may be returned by GXFON$:

EXIT code	$$COND	Description
14316	16	The user selected the <Cancel> button.

3.   Programming Notes

GXFON$ is only available with GSM SP-38, or later; and GX V4.8p, or later.

4.   Examples

[EXAMPLE REQUIRED]

5.   Copy-Books

None.

6.   See Also

None.