

GXGTZ\$ - Return Time Zone Information from the GX PC

The GXGTZ\$ routine is available to return a Time Zone string from the PC running GX.

1. Invocation

The GXGTZ\$ routine is called as follows:

```
CALL GXGTZ$ USING buffer
```

where *buffer* is a PIC X(1024) buffer into which the Time Zone information is returned. The returned string is zero-terminated.

2. STOP Codes and Exception Conditions

The following STOP codes may be generated by GXGTZ\$:

STOP code	Description
14203	GXGTZ\$ has been called by an application that is not running on GX.

The following exception conditions may be returned by GXGTZ\$:

EXIT code	\$\$COND	Description
14212	12	An exception was returned by GX.

3. Programming Notes

GXGTZ\$ is only available when running on GX. Any attempt to use GXGTZ\$ on a non-GX terminal will result in a STOP code. GXGTZ\$ is only available with GX V4.7r, or later. Any attempt to use GXGTZ\$ on an earlier version of GX will result in an exception. Furthermore, GXGTZ\$ is only available with GSM SP-36, or later.

4. Examples

[EXAMPLE REQUIRED]

5. Copy-Books

None.

6. See Also

GXMAC\$ Get MAC Address information from the GX PC
GXGIP\$ Get IP Address information from the GX PC
GXGSS\$ Get Screen Size information from the GX PC
GXGWS\$ Get Window Size information from the GX PC
GXGOS\$ Get Windows O/S information from the GX PC

GXGTZ\$ - Return Time Zone Information from the GX PC

GXGKN\$ Get Computer Name information from the GX PC
GXPCES\$ Apply Percent Encoding to a String