

NCLOS\$ - Close Windows Directory

The NCLOS\$ routine is used to close the directory on the host operating system (normally Windows) previously opened using the NOPEN\$ routine.

1. Invocation

To close the directory code:

```
CALL NCLOS$ USING area
```

where area is the PIC X(140) work-area previously passed to the NOPEN\$ routine.

2. STOP Codes and Exception Conditions

No STOP codes are generated by NCLOS\$.

The following EXIT codes may be returned by NCLOS\$:

EXIT code	\$\$COND	Description
24001	01	An unexpected error condition has been returned by the host operating system. The error code will be returned in \$\$CRES.

3. Programming Notes

The NCLOS\$ routine must be used in conjunction with the NOPEN\$ and NLIST\$ routines.

The NCLOS\$ routine has been modelled on the traditional CLOSE\$ routine. Note that NECLS\$ is available as an extended version of NCLOS\$.

The PIC X(140) work-area must not be used for any other routines apart from the preceding NOPEN\$ and NLIST\$ calls; until NCLOS\$ has completed. In particular, it must not be used for any nested NOPEN\$ calls.

4. Examples

[EXAMPLES REQUIRED]

5. Copy-Books

None.

6. See Also

NOPEN\$ Open Windows Directory
 NLIST\$ List Windows Directory
 NLIS2\$ List Windows Directory (Normalised File Type)
 NEOPN\$ Extended Open Windows Directory
 NELIS\$ Extended List Windows Directory
 NELI2\$ Extended List Windows Directory (Normalised File Type)
 NECLS\$ Extended Close Windows Directory
 NXOPN\$ Specialised Open Windows Directory
 NXLIS\$ Specialised List Windows Directory

NCLOS\$ - Close Windows Directory

NXCLS\$ Specialised Close Windows Directory
OPEN\$ Open Global volume
LIST\$ List Global volume
CLOSE\$ Close Global volume