

NECLS\$ – Extended Close Windows Directory

The NECLS\$ routine is used to close the directory on the host operating system (normally Windows) previously opened using the NEOPN\$ routine.

1. Invocation

To close the directory code:

```
CALL NECLS$ USING area
```

where area is the PIC X(400) work area previously passed to the NEOPN\$ routine.

2. STOP Codes and Exception Conditions

No STOP codes are generated by NECLS\$.

The following EXIT codes may be returned by NECLS\$:

EXIT code	\$\$COND	Description
24001	01	An unexpected error condition has been returned by the host operating system. The error code will be returned in \$\$CRES.

3. Programming Notes

The NECLS\$ routine must be used in conjunction with the NEOPN\$ and NELIS\$ routines.

The NECLS\$ routine has been modelled on the traditional CLOSE\$ routine. NECLS\$ is an extended version of NCLOS\$.

The PIC X(400) work area must not be used for any other routines apart from the preceding NEOPN\$ and NELIS\$ calls; until NECLS\$ has completed. In particular, it must not be used for any nested NEOPN\$ calls.

4. Examples

[EXAMPLES REQUIRED]

5. Copy-Books

None.

6. See Also

NOPEN\$ Open Windows Directory
 NLIST\$ List Windows Directory
 NLIS2\$ List Windows Directory (Normalised File Type)
 NCLOS\$ Close Windows directory
 NEOPN\$ Extended Open Windows Directory
 NELIS\$ Extended List Windows Directory
 NELI2\$ Extended List Windows Directory (Normalised File Type)
 NXOPN\$ Specialised Open Windows Directory
 NXLIS\$ Specialised List Windows Directory
 NXCLS\$ Specialised Close Windows Directory

OPEN\$ Open Global volume
LIST\$ List Global volume
CLOSE\$ Close Global volume