

REGWS\$ - Write Registry String Setting

The REGWS\$ routine can be used to write an existing registry string setting immediately below the Global\Client key of the Windows registry.

1. Invocation

To write a registry string setting code:

```
CALL REGWS$ USING key_name value_name new_setting setting_length
```

where *key_name* is a PIC X(?) field containing the zero-terminated key-name; *value_name* is a PIC X(?) field containing the zero-terminated value-name; *new_setting* is a PIC X(n) string, or literal, containing the new string value and *setting_length* is a PIC 9(4) COMP field, or literal, containing the length of the new string.

2. STOP Codes and Exception Conditions

The following STOP codes may be generated by REGWS\$:

STOP code	Description
20204	REGWS\$ has been called on an invalid configuration (i.e. not GSM (Windows)). GSM SP-38, or earlier, only.

The following exception conditions may be returned by REGWS\$:

EXIT code	\$\$COND	Description
20210	10	String valuenam not present in the registry.
20211	11	REGWS\$ has been called on an invalid configuration (i.e. not GSM (Windows)). GSM SP-39, or later, only.

3. Programming Notes

REGWS\$ is currently **only** available on GSM (Windows) configurations.

REGWS\$ can only be used to update string settings that already exist in the registry. Use REGAS\$ to add a new string setting.

Use REGWS\$ with great caution. Injudicious use of REGWS\$ can cause unpredictable effects.

4. Examples

None.

5. Copy-Books

None.

6. See Also

REGRS\$ Read registry string setting

REGAS\$ Add new registry string setting